

# INDEX MAPS.

## T. 9N, R. 1E. 2<sup>nd</sup> Mer.

	245		245-246		245-246		245-246		245-246		244-246	
249	6	240	5	264	4	261	3	257	2	253	1	271
	<del>269</del>		<del>269</del>		<del>264</del>		<del>260</del>		<del>256</del>		<del>252</del>	271
248	7	269	8	264	9	260	10	256	11	252	12	
	<del>268</del>		<del>268</del>		<del>263</del>		<del>260</del>		<del>256</del>		<del>252</del>	244
248	18	268	17	263	16	259	15	255	14	251	13	244
	<del>267</del>		<del>267</del>		<del>263</del>		<del>259</del>		<del>255</del>		<del>251</del>	
248	19	267	20	263	21	258	22	255	23	250	24	243
	<del>266</del>		<del>266</del>		<del>262</del>		<del>258</del>		<del>254</del>		<del>250</del>	
247	30	266	29	262	28	258	27	254	26	250	25	243
	<del>266</del>		<del>265</del>		<del>262</del>		<del>257</del>		<del>253</del>		<del>249</del>	
247	31	265	32	261	33	257	34	253	35	249	36	242
	242		242		241		241		241		241	

## T. 10N, R. 1E. 2<sup>nd</sup> Mer.

	278		278		278		277-279		277-279		277-279	
281	6	307	5	301	4	296	3	291	2	286	1	277
	306		306		300		295		291		286	
281	7	306	8	300	9	295	10	290	11	285	12	276
	305		305		299		295		290		285	
280	18	304	17	299	16	294	15	289	14	284	13	276
	304		304		299		294		289		284	
280	19	303	20	298	21	293	22	288	23	283	24	276
	303		303		298		293		288		283	
280	30	302	29	297	28	293	27	287	26	282	25	275
	302		301		297		292		287		282	
279	31	301	32	296	33	292	34	286	35	282	36	275
	274		273-274		273-274		273-274		273-275		273-275	

(F) The figures on the lines refer to the page.

241

Township N. 9 North, Range N. 1 East 2. Mer. Indiana

South Boundary. March 31. 1811

West 1<sup>st</sup> mile between Towns 8 & 9 N. R 1 E

40.00 Set the q. Sec. post, from which  
a W. Oak 12 m. diam. bears S 62 E 11 lks. dist. &  
a Do 12 " " " North 13 " "

53.00 a Brook 12 lks. wide Cr. S. W.

80.00 Set a post Cor. to Sec. 35 & 36, T 9 N. R 1 E, from which  
a P. Oak 30 m. diam. bears N 51 W 26 lks. dist. &  
a Do 12 " " " N 13 E 26 " "  
Land poor & hilly, timber Oak, Beech, Gum &c.

---

West 2<sup>nd</sup> mile between Towns 8 & 9 N. R 1 E.

00.50 a Brook 15 lks. wide Cr. S. E.

40.00 Set the q. Sec. post, from which  
a W. Oak 14 m. diam. bears S 57 E 35 lks. dist. &  
a Sugar 13 " " " N 21 W 26 " "

75.00 a Brook 15 lks. wide Cr. S. W.

80.00 Set a post Cor. to Sec. 34 & 35, T 9 N. R 1 E, from which  
a Gum 16 m. diam. bears S 56 W 23 lks. dist. &  
a P. Oak 17 " " " N 81 E 11 " "  
Land timber &c. same as on the last mile

---

West 3<sup>rd</sup> mile between Towns 8 & 9, N. R 1 E.

40.00 Set a post Cor. for q. Sec. from which  
a Sugar 6 m. diam. bears S 45 E 10 lks. dist. &  
a Beech 30 " " " West 40 " "

45.00 a Creek 50 lks. wide Cr. S.

80.00 Set a post Cor. to Sec. 33 & 34, T 9 N. R 1 E, from which  
a Beech 14 m. diam. bears S 30 E 11 lks. dist. &  
a Do 13 " " " N 16 W 21 " "  
Hilly Rich land timber Oak & Sugar

---

West 4<sup>th</sup> mile between Towns 8 & 9, N. R 1 E.

T<sup>9</sup>N. R<sup>1</sup>E. T<sup>2</sup>. Mer. Indiana

- 21.00 a Brook 10 lks. wide Course S.W.  
 35.50 Spring 6 lks. wide C<sup>2</sup>. S.W.  
 40.00 Set the gr. Sec. post, from which  
     a Beech 8 m. dia. bears S 81 W 5 lks. dist. of  
     a W. Oak 36 " " " N 29 E 26. "  
 55.00 a Creek 60 lks. wide C<sup>2</sup>. S.E.  
 80.00 Set a post Cor. to Sec. 31 & 33, T<sup>9</sup>N. R<sup>1</sup>E, from which  
     a Maple 16 m. dia. bears N 47 W 14 lks. dist. of  
     a Hickory 8 " " " N 5 W 12 " "  
     Sand hilly rich, timber Beech, Oak, Hickory &c
- 

- Next 5<sup>th</sup> Mile between Towns 8 & 9 N. Range 1 E.  
 40.00 Set the gr. Sec. post, from which  
     a Beech 15 m. dia. bears N 15 W 17 lks. dist. of  
     a Sugar 12 " " " S 53 E 30 " "  
 80.00 Set a post Cor. to Sec. 31 & 32, T<sup>9</sup>N. R<sup>1</sup>E, from which  
     a Hickory 14 m. dia. bears N 35 W 19 lks. dist. of  
     a Beech 16 " " " S 11 W 30 " "  
     Poor hilly Oak land &c.
- 

- Next 6<sup>th</sup> Mile between Towns 8 & 9 N. R<sup>1</sup>E.  
 40.00 Set the gr. Sec. post, from which  
     a Hickory 5 m. dia. bears N 45 E 6 lks. dist. of  
     a Do 4 " " " North 33 " "  
 55.50 a Brook 20 lks. wide C<sup>2</sup>. S.E.  
 78.50 Intersected the T<sup>2</sup>. Mer. 100 lks. S. of temp<sup>y</sup>. post  
     Set a post Cor. to Towns 8 & 9 N. R<sup>1</sup>E & 1 W, from which  
     a Butternut 12 m. dia. bears N 34 E 12 lks. dist. of  
     a Sugar 13 " " " S 14 E 37 " "  
     Rich hilly land &c.
- 

East Boundary  
 North 1<sup>st</sup> Mile between Towns 9 N. Range 1 & 2 E.

Tg. N. R. 1 E. 2<sup>n</sup>. Mer. Indiana

- 38.50 a Brook 8 lks. wide Cr. E.
- 40.00 At the q. Sec. post, from which  
a Sugar 3 in. dia. beam N 55 E 5 lks. dist. &  
a Beech 4 " " " S 71 W 7 " "
- 43.00 a Brook 10 lks. wide Cr. S. E.
- 57.00 a W. Oak 14 in. dia. in the line
- 66.50 Intersected the Boundary line, at post, from  
which a Sugar 18 in. dia. beam S 30 W 25 lks. dist. &  
a Do 11 " " " S 85 E 30 " "
- Poor hilly Oak land.
- Surveyed by Alexander Holmes, d. S.  
(Continued by James Hedges in 1819)
- 80.00 (13.50 N. of boundary) Set a post cor. to Sec. 25 & 36  
from which an Elm 11 in. dia. beam S 54 W 7 lks. dist. &  
a Beech 14 " " " N 35 E 33 " "

North On E. boundary of Sec. 25, Tg. N. R. 1 E. ran. 7. W. E

- 5.00 a Brook 6 lks. wide Cr. East
- 8.50 a Do 8 lks. " " S 40 E
- 10.50 a W. Oak 16 in. dia.
- 40.00 At the q. Sec. post, from which  
a Hickory 8 in. dia. beam N 68 E 10 lks. dist. &  
a W. Oak 32 " " " S 78 W 30 " "
- 59.86 a Sugar 7 in. dia.
- 60.30 a Brook 10 lks. wide Cr. S 80 E.
- 80.00 Set a post Cor. to Sec. 24 & 25, from which  
a Gum 11 in. dia. beam N 65 W 30 lks. dist. &  
a Do 16 " " " S 85 E 27 " "
- Land hilly & poor timber N & W. Oak, Beech & Gum  
under W. Oak, Dogwood & Ironwood

North On E. boundary of Sec. 24, Tg. N. R. 1 E

- 14.60 a Brook 10 lks. wide Cr. East



T9 N. R1 E 2<sup>nd</sup> Mer Indiana

36.20 a Beech 18 in. dia.

40.00 Set the q. Sec. post, from which a Sugar 18 in. dia. W.  
S 72 E 5 lks. dist. & a W. Oak 48 in. dia. bear S 80 W 46 lks. dist.

47.25 a Brook 12 lks. wide C.S. S 60 E

61.50 a W. Oak 12 in. dia. bear

80.00 Set a post Cor. to Sec. 13 & 24, from which a W. Oak 28  
in. dia. bear S 23 E 15 lks. dist. & a Hickory 10 in. dia. bear  
N 87 W 15 lks. dist. Land hilly & poor, timber W. Oak,  
Hickory & Poplar, undg. Dogw. & Ironw.

North On E. boundary of Sec. 13, T9 N. R1 E.

10.50 a Brook 12 lks. wide C.S. S 40 E

22.50 a W. Oak 13 in. dia.

40.00 Set the q. Sec. post, from which  
a Hickory 12 in. dia. bear N 75 W 31 lks. dist. &  
a Dogwood 5 " " " N 88 E 19 " "

54.00 a Chestnut Oak 18 in. dia.

80.00 Set a post Cor. to Sec. 12 & 13, from which  
a W. Oak 12 in. dia. bear S 77 W 30 lks. dist. &  
a Do 8 " " " N 6 W 29 " "

Land timber &amp;c. same as on the last mile

North On E. boundary of Sec. 12, T9 N. R1 E.

19.07 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post, from which  
a W. Oak 7 in. dia. bear N 4 W 11 lks. dist. &  
a Do 6 " " " S 23 E 21 " "

71.55 a Chestnut Oak 20 in. dia.

Note—For residue of this line see page 271.

North Boundary June 24<sup>th</sup> 1819West 1<sup>st</sup> mile On Random betw. Towns 9 & 10 N. R1 E

30.00 a Brook 7 lks. wide C.S. N.

40.00 Set temp. q. Sec. post

80.00 Set temp. Sec. post, cor. to 35 & 36, T10 N. R1 E.  
over level Beech land.

S 9 N. R 1 E. 2<sup>nd</sup> Mer. Indiana

West 2<sup>nd</sup> Mile <sup>on Random</sup> between Towns 9 & 10 N. Range 1 E.  
10.65 a Brook 10 lbs. wide C.S. St.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Set temp<sup>y</sup>. post. for 34 & 35, T 10 N. R 1 E.

Over Rolling land, timber Oak, Beech &c

West 3<sup>rd</sup> Mile <sup>on Random</sup> between Towns 9 & 10 N. R 1 E. 2<sup>nd</sup> Mer.

13.80 a Brook 15 lbs. wide C.S. St.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Set temp<sup>y</sup>. Cor. to Sec. 33 & 34, T 10 N. R 1 E.

Over Broken land, timber Beech, Oak &c

West 4<sup>th</sup> Mile between Towns 9 & 10 N. R 1 E, on Random

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Set temp<sup>y</sup>. Cor. to Sec. 32 & 33, T 10 N. R 1 E.

Over broken land, timber Oak & Poplar

West 5<sup>th</sup> Mile on Random, between Towns 9 & 10 N. R 1 E

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Set temp<sup>y</sup>. Cor. to Sec. 31 & 32, T 10 N. R 1 E.

Over broken land, timber Oak & Hickory

West 6<sup>th</sup> Mile on Random, between Towns 9 & 9 N. R 1 E.

39.28 Intersected the 2<sup>nd</sup> Meridian line 520 lbs. N.  
of the Cor. of Towns 9 & 10 N. Ranges 1 E & 1 W.  
Over broken land timber, Oak, Beech &c.

East On true line between Towns 9 & 10 N. R 1 E, and  
Sections 6 & 31

39.28 Set a post Cor. to Sec. 31 & 32, T 10 N. R 1 E, from which  
a Beech 13 in. dia. brass 125 & 110 lbs. dist<sup>d</sup>  
a Do 10 " " " N 32 W 24 " "

T9 N - R1 E. 2<sup>d</sup> Mer. Indiana

East On S. boundary of Sec. 32, T10 N. R1 E.

40.00 At the g<sup>r</sup>. Sec. post, from which  
 a Beech 10 m. diam. bears S69 E 18 lns. dist. of  
 a Do 10 " " " N42 W 24 " "

80.00 At a post Cor. to Sec. 32 & 33, T10 N. R1 E. from which  
 a Hickory 20 m. diam. bears N44 W 16 lns. dist. of  
 a Walnut 12 " " " S59 E 29 " "

East On S. boundary of Sec. 33, T10 N. R1 E.

40.00 At the g<sup>r</sup>. Sec. post, from which  
 a Beech 24 m. diam. bears N10 E 23 lns. dist. of  
 a Cassia 8 " " " N5 W 9 " "

80.00 At a post Cor. to Sec. 33 & 34, T10 N. R1 E. from which  
 a Poplar 18 m. diam. bears S77 E 24 lns. dist. of  
 a Dogw? 6 " " " N44 W 13 " "

East On S. boundary of Sec. 34, T10 N. R1 E.

40.00 At the g<sup>r</sup>. Sec. post, from which  
 a Gum 12 m. diam. bears N71 E 4 lns. dist. of  
 a Beech 8 " " " South 13 " "

80.00 At a post Cor. to Sec. 34 & 35, T10 N. R1 E. from which  
 a Beech 13 m. diam. bears S63 E 20 lns. dist. of  
 a Do 8 " " " N81 W 22 " "

East On S. boundary of Sec. 35, T10 N. R1 E.

40.00 At the g<sup>r</sup>. Sec. post, from which  
 a Beech 30 m. diam. bears N63 E 33 lns. dist. of  
 a Cherry 9 " " " N64 W 9 " "

80.00 At a post Cor. to Sec. 35 & 36, T10 N. R1 E. from which  
 a Beech 8 m. diam. bears S65 E 20 lns. dist. of  
 a Do 30 " " " S71 W 6 " "

East On S. boundary of Sec. 36, T10 N. R1 E.



T9 N. - R1 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 At the g. Sec. post, from which  
a Gum 24 in. dia. beam N 82 E 13 lks. dist. &  
a Beech 10 " " " S 33 W 17 " "
- 80.00 Intersected the corner of Town 9 & 10 N. Ranges  
1 & 2 East. Surveyed by John M. McDonald, U.S.

West Boundary or 2<sup>nd</sup> Principal Meridian  
April 1<sup>st</sup> 1871. From the Cor. of Town 8 & 9 N.  
Range 1 E & 1 W.

North 2<sup>nd</sup> Mile on 2<sup>nd</sup> Meridian Town 9 N.

- 3.75 at Brook 15 lks. wide Cr. S. E.
- 31.00 a Do 12 " " " E.
- 40.00 a Beech 13 in. dia. <sup>Sec. Corner</sup> g. from which  
a Beech 13 in. dia. beam N 80 E 24 lks. dist. &  
a Dogwood 4 " " " S 75 W 36 " "
- Muddling good Beech land &c.
- 45.00 a Beech 14 in. dia. in the line
- 61.00 a Brook 20 lks. wide Cr. East.
- 80.00 At a post Cor. to Sec. 25 & 36, T9 N. R1 E. from which  
a Hickory 10 in. dia. beam S 60 W 19 lks. dist. &  
a Beech 13 " " " S 64 E 18 " "
- Good Beech & Sugar land.

North 2<sup>nd</sup> Mile on 2<sup>nd</sup> Meridian T9 N.

- 15.50 a Brook 10 lks. wide Cr. S. E.
- 31.00 a Sugar 12 in. dia.
- 40.00 At the g. Sec. post, from which  
a Beech 13 in. dia. beam S 66 E 11 lks. dist. &  
a Do 13 " " " S 75 W 24 " "
- 75.50 a Beech 16 " "
- 80.00 At a post Cor. to Sec. 24 & 25, T9 N. R1 W. from which  
a W. Oak 12 in. dia. beam N 49 W 7 lks. dist. &  
an Ash 3 " " " S 76 E 17 " "



T<sup>9</sup>N. R1E. 2<sup>nd</sup>. Mer. Indiana

Land of middling quality, timber. Beech, Sugar, Ash &amp;c.

North 3<sup>rd</sup> Mile On 2<sup>nd</sup>. Meridian T<sup>9</sup>N.

26.00 a Beech 10 m. wide C.S.E.

40.00 At the q. Sec. post, from which

a Beech 18 m. diam. bears N 73 E 6 m. dist. of

a Do 13 " " " N 74 W 5 " "

Land of a middling quality, Beech, Sugar, Ash &amp;c.

57.00 a Beech 16 m. diam.

80.00 At a post Cor. to Sec. 13 & 24, T<sup>9</sup>N. R1W. from which

a Sugar 5 m. diam. bears N 17 E 7 m. dist. of

a Do 8 " " " S 25 W 14 " "

Rich level land. Beech, Sugar, Poplar &amp;c.

North 4<sup>th</sup> Mile On 2<sup>nd</sup>. Meridian T<sup>9</sup>N

7.00 a Beech 24 m. diam.

40.00 At the q. Sec. post, from which

a Lym 16 m. diam. bears S 17 E 7 m. dist. of

a Walnut 18 " " " N 22 W 29 " "

70.50 a Brook 12 m. wide Course N.W.

71.50 a Beech 18 m. diam.

80.00 At a post Cor. to Sec. 12 & 13, T<sup>9</sup>N. R1W. from which

a Sycamore 40 m. diam. bears N 58 W 25 m. dist. of

an Elm 25 " " " S 51 E 25 " "

Hilly Beech land &amp;c.

North 5<sup>th</sup> Mile On 2<sup>nd</sup>. Meridian T<sup>9</sup>N.

34.00 a W. Oak 7 m. diam. bears

40.00 At the q. Sec. post, from which

a Sassafras 6 m. diam. bears S 47 E 5 m. dist. of

a Do 3 " " " N 48 W 7 " "

45.00 a Brook 20 m. wide C.S. N.W.

47.50 a Sugar 12 m. diam.

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

80.00 At a post Cor. to Sec. 16 & 17, T9 N. R1 W. from which  
 a Beech 12 m. dist. bears N49°W 15 lks. dist. &  
 a Hickory 18 " " " S32°E 17 " "  
 Land timber &c. same as on the last mile

North 6<sup>th</sup> mile on 2<sup>d</sup>. Meridian T9 N.

7.00 a Beech 20 m. dist.

16.75 At a post on boundary line, from which  
 a Beech 14 m. dist. bears East 30 lks. dist. &  
 an Elm 4 " " " West 30 " "  
 Surveyed by Alex<sup>r</sup>. Holmes, L. S.

From Cor. on boundary line, on 2<sup>d</sup>. Meridian

12.00 a Brook 20 lks. wide C.P. & M.

23.25 At the q<sup>r</sup>. Sec. post, from which a Hickory 12 m. dist.  
 bears N47°E 17 lks. dist. & a Dogwood 6 m. dist. bears S37°E 8 lks.

63.25 At a post Cor. to Towns 9 & 10 N. Range 1 E & 1 W. from which  
 a Hickory 9 m. dist. bears N68°W 8 lks. dist. & a Walnut 9 m. dist.  
 S50°E 21 lks. dist. Land very broken (muddling good Soil  
 Beech, Hickory, ash, Oak, &c. &c. May 20. 1819

## Subdivision.

North Between Sec. 35 & 36, T9 N. R1 E. 2<sup>d</sup>. Mer.

0.50 a W. Oak 30 m. dist.

40.00 a B. Oak 12 m. dist. Marked for q<sup>r</sup>. Sec. Corner.

80.00 At a post Cor. to Sec. 25 & 26, 35 & 36, from which  
 a Beech 8 m. dist. bears N64°W 20 lks. dist. &  
 a Do 6 " " " S31°E 10 " "

Land Hilly, timber Oak, Beech & Hickory

East Between Sec. 25 & 36, T9 N. R1 E

40.00 At the q<sup>r</sup>. Sec. post, from which

a W. Oak 18 m. dist. bears S53°W 14 lks. dist. &  
 an Oak 6 " " " N12°W 26 " "

59.45 At post on the boundary, from which

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 18 m. dist. bears S25W23 1/2 br. dist. &  
 an Oak 10 " " " N70W31 " "  
 February 22<sup>d</sup>. 1820. (by James Hedger)

Continued from post on boundary

18.96 Intersected E. boundary at Sec. Corner

---

North Between Secs. 25 & 26, T9 N. R1 E. 2<sup>d</sup>. Mer.

19.00 a Br. Oak 18 m. dist.

40.00 At the q. Sec. post, from which  
 an Oak 15 m. dist. bears N17E19 1/2 br. dist. &  
 a Do 15 " " " N12W38 " "

44.25 At a post on the boundary, from which  
 an Oak 4 m. dist. bears N37W20 1/2 br. dist. &  
 a Do 12 " " " S29E28 " "

Sand timber &c. same as on the last mile

50.90 a Brook 6 lks. wide Cr. N60W

80.00 At temp<sup>y</sup>. Sec. post.

---

East On Random between Secs. 24 & 25, T9 N. R1 E.

40.00 At temp<sup>y</sup>. q. Sec. post

77.82 Intersected the E. boundary 140 lks. S. of Corner.  
 Land hilly & poor, timber W. & B. Oak, Hickory &c  
 underg<sup>d</sup>. W. Oak & Ironwood.

---

West On true line between Secs. 24 & 25, T9 N. R1 E.

38.91 At q. Sec. post at a q. dist. from which  
 a Hickory 8 m. dist. bears S76E29 1/2 br. dist. &  
 a Logw<sup>d</sup>. 4 " " " N78W21 " "

77.82 to Sec. Corner

---

North Between Secs. 23 & 24, T9 N. R1 E. 2<sup>d</sup>. Mer.

13.60 a Brook 8 lks. wide Cr. S70W

15.80 a W. Oak 10 m. dist.



T9 N. R1 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 At the q. Sec. post, from which  
 a W. Oak 10 mi. dist. bears S47°22'W dist. 4  
 a Do 6 " " " S89°E 15 " "  
 63.80 a W. Oak 30 " "  
 80.00 At a post Cor. to Secs. 13, 14, 23 & 24, from which  
 a W. Oak 15 mi. dist. bears N66°E 30 th dist. 4  
 a Do 18 " " " N32°W 17 " "  
 Land hilly & poor, timber W & W. Oak, Hickory &c.  
 undergrowth W. Oak & Ironwood

- East on Random between Secs. 13 & 24, T9 N. R1 E.  
 40.00 At turn of q. Sec. post  
 42.80 a Brook 6 ths. wide C. S. S. & E  
 52.70 a Do 8 " " " S20 E  
 78.46 Intersected the E. boundy 118 ths. S. of the Corner.  
 Land hilly & poor, timber W & W. Oak & Hickory  
 undergrowth W. Oak & Ironwood

- West On true line between Secs. 13 & 24, T9 N. R1 E.  
 39.23 At q. Sec. post at av. dist. from which  
 a W. Oak 16 mi. dist. bears S83°E 29 th dist. 4  
 a Maple 10 " " " S79°W 37 " "  
 78.46 to Sec. Cor. Feb. 23<sup>rd</sup> 1820

- North Between Secs. 13 & 14, T9 N. R1 E. 2<sup>nd</sup> Mer.  
 32.25 a W. Oak 6 mi. dist.  
 40.00 At the q. Sec. post, from which  
 a Beech 12 mi. dist. bears N23°W 60 ths. dist. 4  
 a Do 11 " " " S49°E 13 " "  
 56.60 a Hickory 13 " "  
 80.00 At a post Cor. to Secs. 11, 12, 13 & 14, from which  
 a Sugar 14 mi. dist. bears S85°E 18 ths. dist. 4  
 a Do 6 " " " S59°W 38 " "

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

Land timber &c. Same as on the last mile

East On Rand<sup>m</sup> betw<sup>n</sup> Sec. 12 & 13.

40.00 Set temp<sup>y</sup> of Sec. post

78.50 Intersected the E. boundary 10 hrs. S. of Cor.

Land timber &c. Same as on the last mile

West On true line between Sec. 12 & 13, T9 N. R1 E.

39.25 Set of Sec. post at av<sup>g</sup>. dist. from which  
a Gum 24 mi. dist. bears N 86° W 25 hrs. dist.

78.50 to Sec. Corner.

North Between Sec. 11 & 12, T9 N. R1 E. 2<sup>d</sup>. Mer.

3.00 a Brook 15 hrs. wide E. S. 140° W

20.00 a Brook 8 " " " S 15° E

28.85 a R. Oak 6 mi. dist.

40.00 Set the of Sec. post, from which  
a R. Oak 16 mi. dist. bears N 70° W 21 hrs. dist. & ...  
a B. Oak 9 " " " S 12° E 10 " "

64.62 a C. Oak 6 " "

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which  
a R. Oak 7 mi. dist. bears N 65° W 27 hrs. dist. &  
a C. Oak 13 " " " S 37° E 51 " "

Land hilly & poor, W & B. Oak, Hick<sup>y</sup>, und<sup>g</sup>. oak &  
Ironwood &c.

East On Random betw<sup>n</sup> Sec. 11 & 12, T9 N. R1 E

40.00 Set temp<sup>y</sup> of Sec. post,

78.85 Intersected the E. bound<sup>y</sup>. 81 hrs. S. of Corner

Land timber &c. Same as on the last mile

West On true line between Sec. 11 & 12, T9 N. R1 E

39.42<sup>1</sup>/<sub>2</sub> Set of Sec. post at av<sup>g</sup>. dist. from which

T9 N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 20 in. diam. bears N 62 W 15 lbs. dist. 8  
 a Do 13 " " " S 72 E 34 " "  
 78.85 to Sec. Corner.

North Between Secs. 16 & 21, T9 N. R. 1 E. 2<sup>d</sup>. Mer.

24.39 B. Oak 6 in. diam.  
 33.10 a Brook 6 lbs. wide C. S. 20 E.  
 37.00 a Do 6 " " " N 40 E.  
 40.00 At the q. Sec. post from which  
 a Hickory 12 in. diam. bears S 11 E 38 lbs. dist. 8  
 a W. Oak 16 " " " S 5 E 25 " "  
 71.50 Intersected the N. boundary 9.24 lbs. West of  
 post at the South side of Sec. 36 T10 N. R. 1 E.  
 Set a post Cor. to Sec. 16 & 21, from which  
 a Poplar 14 in. diam. bears S 74 E 38 lbs. dist. 8  
 a W. Oak 20 " " " S 70 W 10 " "  
 Land timber &c. same as on the last mile

North Between Secs. 34 & 35, T9 N. R. 1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which  
 a Beech 8 in. diam. bears S 10 E 17 lbs. dist. 8  
 a Do 10 " " " N 56 E 13 " "  
 80.00 At a post Cor. to Secs. 26, 27, 34 & 35, from which  
 a Beech 8 in. diam. bears S 25 E 32 lbs. dist. 8  
 a W. Oak 20 " " " N 35 W 30 " "  
 Land hilly thin soil, timber Oak & Hickory

East on Random betw. Secs. 26 & 35, T9 N. R. 1 E.

40.00 At temp. q. Sec. post  
 81.19 Intersected the S. line 30 lbs. N. of Sec. Cor.  
 Land, timber &c. same as on the last mile

West On true line between Secs. 26 & 35, T9 N. R. 1 E.



Tg. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

40.59<sup>2</sup> Set qf. Sec. post at avj. dist. from which  
 a Beech 5 mi. dist. bear N 75 E 5<sup>1</sup>/<sub>2</sub> m. dist. of  
 a Sugar 8 " " " West 10 " "  
 81.19 to Sec. Corner.

North Between Sec. 27 & 26, Tg. N. R. 1 E. 2<sup>d</sup>. Mer.  
 38.00 an Elm 12 mi. dist.

40.00 Set the qf. Sec. post, from which  
 a Sugar 12 mi. dist. bear S 85 W 13<sup>1</sup>/<sub>2</sub> m. dist. of  
 an Elm 15 " " " S 6 W 4<sup>3</sup>/<sub>4</sub> " "

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which  
 a W. Oak 20 mi. dist. bear West 10<sup>1</sup>/<sub>2</sub> m. dist. of  
 a Ho 20 " " " N 68 E 27 " "  
 Land timber &c. Same as on the last mile

East Between Sec. 23 & 26, Tg. N. R. 1 E. 2<sup>d</sup>. Mer.

33.50 Set a post on the Boundary from which  
 a W. Oak 15 mi. dist. bear S 2 W 26<sup>1</sup>/<sub>2</sub> m. dist. of  
 a Hickory 5 " " " S 84 E 17 " "  
 Land timber &c. Same as on the last mile

Commenced on Boundary line

5.50 a Brook 60<sup>1</sup>/<sub>2</sub> m. wide C. S. S 40 W

6.50 Set temp. qf. Sec. post

45.50 Intersected the N & S. line 120<sup>1</sup>/<sub>2</sub> m. S. of temp.  
 post Set a post at Intersection Cor. to Sec. 23,  
 24, 25 & 26, from which  
 a W. Oak 26 mi. dist. bear S 48 W 40<sup>1</sup>/<sub>2</sub> m. dist. of  
 a Ho 14 " " " N 4 W 35 " "  
 Land hilly & poor, timber W & P. Oak, Hickory &c.  
 running. Dogwood & Ironwood

West Between Sec. 23 & 26, Tg. N. R. 1 E.

39.50 Set qf. Sec. post at avj. dist. from which

T9 N. R1 E. 2<sup>nd</sup> Mer. Indiana

a W. Oak 15 in. dia. bear N41 W13 lks. dist. &  
 a Do 12 " " " N71 E30 " "

79.00 to Sec. Corner.

North Between Secs. 22 & 23, T9 N. R1 E. 2<sup>nd</sup> Mer.

24.81 Set post on the Boundary line, from which  
 a P. Oak 4 in. dia. bear N11 W9 lks. dist. &  
 a Hickory 10 " " " S88 E29 " "

Feb. 24<sup>th</sup> 1820.

40.00 Set the q. Sec. post } W. Oak 24 S24 E23 lks.

80.00 Set temp. Sec. post } Do 20 N40 W25 "

Land hilly thin Soil, timber Oak & Hickory

East On Ransom between Secs. 14 & 23, T9 N. R1 E.

40.00 Set temp. q. Sec. post

77.85 Intersected the N & S. line 96 lks. S. of Corner.

Land very hilly & poor, timber W & P. Oak & Hickory  
 underg. W. Oak, Iron? &c.

West Connected between Secs. 14 & 23, T9 N. R1 E.

38.92 1/2 Set q. Sec. post at av. dist. from which

a W. Oak 10 in. dia. bear N3 W7 lks. dist. &

a Do 10 " " " S5 W14 " "

77.85 to Sec. Corner.

North Between Secs. 14 & 15, T9 N. R1 E. 2<sup>nd</sup> Mer.

15.75 a Brook 20 lks. wide Cr. S80 W.

27.80 a Gum 18 in. dia.

38.20 a Brook 6 lks. wide Cr. S30 W.

40.00 Set the q. Sec. post from which

a Sugar 11 in. dia. bear S66 W40 lks. dist. &

a Do 12 " " " N11 E8 " "

55.17 a W. Oak 17 " "

T9 N. R1 E. 2<sup>d</sup> Mer. Indiana

80.00 At a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Sugar 7 m. dist. bears S 6 E 22 lks. dist. &  
 a Beech 9 " " " N 37 W 17 " "  
 Sand, timber &c. Same as on the last mile

---

East on Random betw<sup>n</sup> Sec. 11 & 14, T9 N. R1 E..  
 40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 75.50 a Brook 15 lks. wide C. S 40 E.  
 78.26 Intersected the N & S. line 13 lks. S. of the Cor.  
 Sand, timber &c. Same as on the last mile

---

West on true line between Sec. 11 & 14, T9 N. R1 E..  
 39.13 At q<sup>r</sup>. Sec. post at av<sup>g</sup>. dist. from which  
 a W. Walnut 8 m. dist. bears S 76 E 50 lks. dist. &  
 a W. Oak 12 " " " N 72 W 72 " "  
 78.26 to Sec. Corner. Feb. 25<sup>th</sup> 1820

---

North Between Sec. 10 & 11, T9 N. R1 E. 2<sup>d</sup> Mer.  
 13.50 a W. Oak 18 m. dist. " " " "  
 28.10 a Brook 12 lks. wide C. S 80 W  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Hickory 12 m. dist. bears S 1 E 20 lks. dist. &  
 a W. Oak 17 " " " N 31 E 54 " "  
 51.30 a W. Oak 15 " " "  
 80.00 At a post Cor. to Sec. 2, 3, 10, 11, from which  
 a W. Oak 11 m. dist. bears S 81 W 42 lks. dist. &  
 a B. Oak 8 " " " N 34 E 37 " "  
 Sand timber &c. Same as on the last mile

---

East on Rand<sup>m</sup>. between Sec. 2 & 11, T9 N. R1 E..  
 40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.00 Intersected the N & S. line 33 lks. S. of Corner.  
 Sand timber &c. Same as on the last mile

---



T<sup>9</sup>N. R1E. 2<sup>nd</sup> Mer. Indiana

West On true line between Secs. 2 & 11, T<sup>9</sup>N. R1E.  
 39.50 At q<sup>r</sup>. Sec. post at ar<sup>r</sup>. dist. on true line from which  
 a Hickory 6 m<sup>i</sup>. dist. bears 110 E 23 l<sup>ts</sup>. dist<sup>d</sup>  
 a Dogw<sup>o</sup>? 5 " " " N 21 W 3 " "  
 79.00 to Sec. Corner.

---

North Between Secs. 2 & 3, T<sup>9</sup>N. R1E. 2<sup>nd</sup> Mer.  
 18.35 a B. Oak 11 m<sup>i</sup>. dist.

40.00 At the q<sup>r</sup>. Sec. post, from which  
 a Hickory 7 m<sup>i</sup>. dist. bears 159 E 16 l<sup>ts</sup>. dist<sup>d</sup>  
 a Beech 6 " " " N 5 W 13 " "

51.95 a W. Oak 18 " "

74.00 Intersected the N. Boundary 9.44 l<sup>ts</sup>. N. of  
 q<sup>r</sup>. Sec. post at the S. side of Sec. 35, T<sup>10</sup>N. R1E.  
 At a post Cor. to Secs. 2 & 3, from which  
 a Beech 12 m<sup>i</sup>. dist. bears 138 E 19 l<sup>ts</sup>. dist<sup>d</sup>  
 a Sugar 30 " " " N 77 W 41 " "  
 Land, timber &c. Same as on the last mile

---

North Between Secs. 33 & 34, T<sup>9</sup>N. R1E. 2<sup>nd</sup> Mer.

40.00 At the q<sup>r</sup>. Sec. post, from which  
 a Willow 15 m<sup>i</sup>. dist. bears 148 E 26 l<sup>ts</sup>. dist<sup>d</sup>  
 a B. Oak 30 " " " N 46 W 36 " "

78.00 a Poplar 40 " "

80.00 At a post Cor. to Secs. 27, 28, 33 & 34, from which  
 an Ironw<sup>o</sup>? 3 m<sup>i</sup>. dist. bears 164 W 6 l<sup>ts</sup>. dist<sup>d</sup>  
 a Beech 5 " " " N 87 E 7 " "  
 Land, timber &c. Same as on the last mile

---

East On Random between Secs. 27 & 34, T<sup>9</sup>N. R1E.

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

60.00 a Brook 20 l<sup>ts</sup>. wide C. & S.

81.18 Intersected the N & S. line 107 N. of Corner

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

Sand, timber &amp;c. Same as on the last mile

West On true line between Sec. 27 & 34, T9 N. R1 E.  
 40.59 At q<sup>r</sup>. Sec. post at av<sup>r</sup>. dist. from which  
 a Dogwood 5 in. dia. bears East 2 hrs. dist  
 no other near  
 81.18 to Sec. Corner.

North Between Sec. 27 & 28, T9 N. R1 E. 2<sup>d</sup>. Mer.  
 40.00 At the q<sup>r</sup>. Sec. post from which  
 a Beech 8 in. dia. bears S 23 E 12 hrs. dist. &  
 a Sugar 12 " " " N 42 W 31 " "  
 80.00 At a post Cor. to Sec. 21, 22, 27 & 28, from which  
 a W. Walnut 10 in. dia. bears S 27 E 36 hrs. dist. &  
 a Beech 15 " " " N 66 W 28 " "  
 Sand, timber &c. Same as on the last mile

East On Random betw<sup>n</sup> 22 & 27, T9 N. R1 E.  
 16.00 a Brook 30 hrs. wide C.P.S.  
 40.00 At the q<sup>r</sup>. Sec. post  
 80.44 Intersected the N & S. line at the corner.  
 Sand, timber &c. Same as on the last mile

West On true line between Sec. 22 & 27, T9 N. R1 E.  
 40.22 At q<sup>r</sup>. Sec. post, at av<sup>r</sup>. dist. from which  
 a W. Oak 18 in. dia. bears S 25 E 25 hrs. dist. &  
 a Dogwood 3 " " " N 71 W 5 " "  
 80.44 to Sec. Cor.

North Between Sec. 21 & 22, T9 N. R1 E. 2<sup>d</sup>. Mer.  
 40.00 At the q<sup>r</sup>. Sec. post, from which  
 a Beech 5 in. dia. bears S 34 W 21 hrs. dist. &  
 a Do 6 " " " N 1 E 16 " "

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

81.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which  
 a W. Walnut 6 mi. dist. bears N 75 E 11 hrs. dist. of  
 a Beech 8 " " " N 64 W 21 " "  
 Land timber &c. Same as on the last mile

East Between Secs. 15 & 22, T9 N. R1 E, on 1<sup>st</sup> land<sup>m</sup>.

6.17 a Poplar 3 mi. dist. Cor. on boundary line  
 15.80 a Brook 8 hrs. wide Cr. S 30 W.  
 38.00 a Do 35 " " " S 25 W  
 40.00 Set temp<sup>y</sup>. q<sup>y</sup>. Sec. post  
 47.50 a Brook 20 hrs. wide Cr. S 20 W.  
 78.26 Intersected the E. boundy. at temp<sup>y</sup>. post - Set a  
 post Cor. to Secs. 14, 15, 22 & 23, from which  
 a W. Oak 20 mi. dist. bears S 24 W 25 hrs. dist. of  
 a Gum 8 " " " N 24 E 38 " "  
 Land hilly & poor, timber W. Oak, Hickory, Dogwood  
 and Ironw<sup>d</sup>. &c.

West On true line between Secs. 15 & 22, T9 N. R1 E.

39.13 Set q<sup>y</sup>. Sec. post at av<sup>y</sup>. dist. from which  
 a Beech 11 mi. dist. bears N 39 W 3 hrs. dist. of  
 a Do 6 " " " S 3 W 28 " "  
 78.26 to Sec. Corner.

North Between Secs. 15 & 16, T9 N. R1 E. 2<sup>d</sup>. Mer.

4.50 Set a post in the boundary line, from which  
 a Beech 4 mi. dist. bears N 15 E 6 hrs. dist. of  
 a W. Oak 4 " " " N 18 W 7 " "

February 25<sup>th</sup>. 1870

17.62 a Beech 20 mi. dist. in the line

40.00 Set the q<sup>y</sup>. Sec. post, from which  
 a Beech 20 mi. dist. bears S 5 W 22 hrs. dist. of  
 a W. Oak 10 " " " N 29 W 39 " "



T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

57.16 a Spruce 16 mi. dist. in the line  
 80.00 Set the 1<sup>st</sup> Sec. post, Cor. to Sec. 9, 10, 15 & 16, from which  
 a W. Oak 12 mi. dist. bears S42 E 37 lks. dist. to  
 a Beech 15 " " " N42 W 40 " "  
 Uneven 2<sup>d</sup> rate land, timber W. Oak, Beech & Sugar

---

East On Random betw<sup>n</sup> Sec. 9, 10 & 15, T9 N. R1 E.  
 40.00 Set temp<sup>y</sup>. of. Sec. post.  
 42.00 a Brook 15 lks. wide C.P. S5 E.  
 77.60 Intersected the N & S. line 66 lks. S. of the Corner.  
 Silly & poor, timber W. & C. Oak, Beech, mudding<sup>th</sup>.  
 W. Oak & Ironwood.

---

West On true line between Sec. 9, 10 & 15, T9 N. R1 E.  
 38.80 Set of. Sec. post at av<sup>y</sup>. dist. from which  
 a W. Oak 11 mi. dist. bears N50 W 16 lks. dist. of  
 a Gum 15 " " " N75 E 25 " "  
 77.60 to Sec. Corner. Feb. 25<sup>th</sup>. 1820

---

North Between Sec. 9 & 10, T9 N. R1 E. 2<sup>d</sup>. Mer.  
 28.38 a Beech 8 mi. dist.  
 40.00 Set the of. Sec. post, from which  
 a Sugar 8 mi. dist. bears S25 W 36 lks. dist. of  
 a W. Oak 18 " " " N6 W 28 " "  
 69.00 a Maple 6 " "  
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, T9 N. R1 E.  
 a Sassafras 6 mi. dist. bears S42 E 16 lks. dist. of  
 a Do 7 " " " N42 W 16 " "  
 Land timber &c. Same as on the last mile

---

East On Random betw<sup>n</sup> Sec. 3 & 10, T9 N. R1 E.  
 40.00 Set temp<sup>y</sup>. of. Sec. post  
 78.76 Intersected the N & S. line 9<sup>3</sup> lks. S. of Corner.

T9 N R1 E. 2<sup>nd</sup> Mer. Indiana

Land, timber &amp;c. Same as on the last mile

West On true line between Secs. 3 & 10, T9 N. R1 E.  
 39.38 At the q. Sec. post at anj. dist. from which  
 a B. Oak 8 m. dia. bears S 32 E. 50 lks. dist. of  
 a Do 11 " " " N 34 W 18 " "  
 78.76 Sec. Corner.

North Between Secs. 3 & 4, T9 N. R1 E. 2<sup>nd</sup> Mer.  
 14.00 a Brook 8 lks. wide Cr. S 5 E.  
 24.30 a Sugar 11 m. dia. in the line  
 37.00 a Brook 8 lks. wide Cr. S 80 E.  
 40.00 At the q. Sec. post, from which  
 a Sugar 6 m. dia. bears N 21 W 16 lks. dist. of  
 a Do 6 " " " S 21 E 28 " "  
 44.50 a Brook 15 lks. wide Cr. S 5 E.  
 51.70 a Sugar 12 m. dia. in the line  
 71.75 a Brook 6 lks. wide Cr. N 60 E.  
 79.00 Intersected the St. boundary 9.20 lks. W. of 1/4 Sec.  
 post at the S. side of Sec. 34, T10 N. R1 E. At  
 a post Cor. to Secs. 3 & 4, from which  
 a Sugar 10 m. dia. bears N 57 E 40 lks. dist. of  
 a Beech 9 " " " N 88 W 36 " "  
 Land timber &c. Same as on the last mile

North Between Secs. 32 & 33, T9 N. R1 E. 2<sup>nd</sup> Mer.  
 40.00 At the q. Sec. post, from which  
 a Beech 25 m. dia. bears S 15 E 23 lks. dist. of  
 a Do 10 " " " N 44 W 6 " "  
 44.00 a Brook 20 lks. wide Cr. S. E.  
 80.00 At a post Cor. to Secs. 28, 29, 32 & 33, from which  
 a Beech 10 m. dia. bears S 84 E 18 lks. dist. of  
 a Hickory 5 " " " S 31 W 5 " "

T<sup>9</sup>N. R1E. 2<sup>d</sup>. Mer. Indiana

Allythin Soil, timber Oak, Beech & Hickory

East On Random betw. Sec. 28 & 33, T<sup>9</sup>N. R1E.

34.00 a Brook 30 lks. wide C. S.

40.00 Set temp. q. Sec. post

80.25 Intersected the N & S. line at the corner.

West On true line between Sec. 28 & 33, T<sup>9</sup>N. R1E.

40.12 p. Set q. Sec. post at av. dist. from which  
a Beech 20 m. dia. bears South one link

80.25 to Sec. Corner.

North Between Sec. 28 & 29, T<sup>9</sup>N. R1E. 3<sup>d</sup>. Mer.

40.00 Set the q. Sec. post, from which

a Beech 10 m. dia. bears N 59° W 13 lks. dist. &

a do 6 " " " N 30° E 5 " "

46.00 a Brook 20 lks. wide C. S. & E.

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which

a B. Oak 10 m. dia. bears N 78° W 10 lks. dist. &

a Hickory 7 " " " N 69° E 9 " "

Sand timber &c. Same as on the last mile

East On Random betw. Sec. 21 & 28, T<sup>9</sup>N. R1E.

40.00 Set temp. q. Sec. post

79.66 Intersected the N & S. line 75 lks. S. of the corner.

Sand timber &c. Same as on the last mile

West On true line between Sec. 21 & 28, T<sup>9</sup>N. R1E.

39.83 Set q. Sec. post at av. dist. from which

a Hickory 8 m. dia. bears N 57° E 10 lks. dist. &

a Maple 15 " " " N 88° W 28 " "

79.66 to Sec. Corner.

T9 N. R1 E. 2<sup>nd</sup> Mer. Indiana

North Between Secs. 20 & 21, T9 N. R1 E. 2<sup>nd</sup> Mer.  
 40.00 a Beech 8 in. dia. (Marked for q. Sec. Corner.  
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which  
 a Spruce 18 in. dia. bears N 67 E 12 lbs. dist. &  
 a Beech 8 " " " S 12 E 14 " "  
 Sand timber &c. same as on the last mile

---

East On Randm. betw. Secs. 16 & 21, T9 N. R1 E. 2<sup>nd</sup> Mer.  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N & S. line 15 lbs. S. of Sec. Corner.  
 Sand timber &c. same, as on the last mile

---

West On true line betw. Secs. 16 & 21, T9 N. R1 E.  
 40.00 Set the q. Sec. post at av. dist. from which  
 a Dogwood 5 in. dia. bears N 74 E 11 lbs. dist. &  
 a Poplar 18 " " " S 14 E 23 " "  
 80.00 to Sec. Corner.

---

North Between Secs. 16 & 17, T9 N. R1 E. 2<sup>nd</sup> Mer.  
 40.00 Set the q. Sec. post, from which  
 a Beech 30 in. dia. bears S 74 W 19 lbs. dist. &  
 a W. Oak 8 " " " S 72 E 27 " "  
 62.07 Set a post on the boundary line from which  
 a Dogwood 3 in. dia. bears S 24 W 12 lbs. dist. &  
 a Hickory 15 " " " S 33 E 22 " "  
 Sand, timber &c. same as on the last mile  
 80.00 Set temp. Sec. post

---

East On Random between Secs. 9 & 16, T9 N. R1 E.  
 40.00 Set temp. q. Sec. post  
 77.32 Intersected the N & S. line 79 lbs. N. of Corner.  
 Sand hilly & poor, W. Oak, hick. undg. Dogwood & Ironwood

---



T9 N R1 E. T<sup>n</sup>. Mer. Indiana

West On true line between Sec. 9 & 10, T9 N. R1 E.  
 38.66 At the q. Sec. post at av. dist. from which  
 a Beech 12 mi. dist. bears S79°W 25 lks. dist. of  
 a Hickory 8 " " " S74°E 8 " "  
 77.32 to Sec. Corner.

---

North Between Sec. 8 & 9, T9 N R1 E. T<sup>n</sup>. Mer.  
 7.00 a Brook 6 lks. wide Cr. S5°W.  
 15.50 a Sugar 12 mi. dist.  
 40.00 At the q. Sec. post, from which  
 a Beech 15 mi. dist. bears N35°W 24 lks. dist. of  
 a Do 7 " " " S7°W 15 " "  
 50.90 a Beech 17 " "  
 80.00 At a post Cor. to Sec. 4, 5, 8 & 9, from which  
 a B. Oak 10 mi. dist. bears N20°E 6 lks. dist. of  
 a Do 6 " " " S19°W 13 " "  
 Unseen 2<sup>d</sup> State Land Sugar, Beech, Ash &c.

---

East On Random betw<sup>n</sup>. Sec. 4 & 9, T9 N. R1 E  
 10.00 a Brook 6 lks. wide Cr. N5°W.  
 40.00 At temp<sup>y</sup>. q. Sec. post  
 77.33 Intersected the N & S. line 84 lks. N. of the Corner  
 Land very hilly Soil 2<sup>d</sup> rate, W & B. Oak & W. Walnut  
 Sassafras, underg<sup>th</sup>. Sassafras.

---

West On true line betw<sup>n</sup>. Sec. 4 & 9, T9 N. R1 E.  
 38.66 At q. Sec. post at av. dist. from which.  
 a Sassafras 8 mi. dist. bears S21°W 4 lks. dist. of  
 a B. Walnut 10 " " " N24°E 20 "  
 77.33 to Sec. Cor.

---

North Between Sec. 4 & 5, T9 N. R1 E. T<sup>n</sup>. Mer.  
 17.45 a Hickory 8 mi. dist. in the line

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 At the q. Sec. post, from which  
 a Beech 12 mi. dist. bear S85W29<sup>th</sup>, dist. of  
 a Sugar 12 " " " S74E75 " "  
 52.00 a W. Walnut 11 " "  
 79.00 Intersected the N. boundary 7.61 krs. N. of the q.  
 Sec. post on the S. side of Sec. 33, T10 N. R1 E. - At  
 a post Cor. to Sec. 4 & 5, from which  
 a Beech 14 mi. dist. bear N66E20<sup>th</sup>, dist. of  
 a Poplar 18 " " " S12E12 " "  
 Land timber &c. same as on the last mile
- 

North Between Sec. 31 & 32, T9 N. R1 E. 2<sup>d</sup>. Mer.

- 40.00 At the q. Sec. post, from which  
 a Beech 20 mi. dist. bear S77W15<sup>th</sup>, dist. of  
 a Do 10 " " " N68E14 " "  
 54.50 a Brook 18 krs. wide Course E.  
 80.00 At a post Cor. to Sec. 29, 30, 31 & 32, from which  
 a Beech 6 mi. dist. bear N65W6<sup>th</sup>, dist. of  
 a Do 6 " " " N82E14 " "  
 Land hilly timber, Beech & Hickory
- 

East On Random between Sec. 29 & 32, T9 N. R1 E.

- 30.00 a Brook 10 krs. wide Cr. S.  
 40.00 At temp. q. Sec. post.  
 81.14 Intersected the N & S. line 158 krs. N. of Sec. Cor.  
 Land very hilly, timber the same
- 

West On true line between Sec. 29 & 32, T9 N. R1 E.

- 40.57 At q. Sec. post, at av. dist. from which  
 a Beech 30 mi. dist. bear N15E27<sup>th</sup>, dist. of  
 a Sugar 6 " " " N33W39 " "  
 81.14 to Sec. Corner.
-

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

West Between Sec. 30 &amp; 31, T9 N. R1 E

40.00 At the q. Sec. post, from which

a Beech 20 m. dist. bears S58°W32 lbs. dist. &amp;

a do 8 " " " S58 E 8 " "

79.70 Intersected the N. boundary at the corner.

Sand timber &amp;c. same as on the last mile

North Betw. Sec. 29 & 30, T9 N. R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which

a Dogwood 4 m. dist. bears S15 E 21 lbs. dist. &amp;

a Hickory 18 " " " S83 E 18 " "

75.60 a Brook 12 lbs. wide C. E.

80.00 At post Cor. to Sec. 19, 20, 29 &amp; 30, from which

a Sugar 8 m. dist. bears N79 E 4 lbs. dist. &amp;

a do 8 " " " N50 W34 " "

Sand, timber &amp;c. same as on the last mile

East On Random between Sec. 20 &amp; 29, T9 N. R1 E.

35.00 a Brook 20 lbs. wide C. E. S. E.

40.00 At temp. q. Sec. post

44.50 a Brook 20 lbs. wide C. S. E.

80.00 Intersected the N. &amp; S. line 18 lbs. N. of corner.

Sand timber &amp;c. same as on the last mile

West On true line between Sec. 20 &amp; 29, T9 N. R1 E.

40.31 At q. Sec. post at av. g. dist, from which

a Sugar 8 m. dist. bears S42 W6 lbs. dist. &amp;

a hycamore 35 " " " N75 W12 " "

80.60 to Sec. Corner.

West Between Sec. 19 & 30, T9 N. R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which

a Beech 20 m. dist. bears S37 E 9 lbs. dist. &amp;

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

- a Beech 15 mi. dist. bear N 33 E 13 lks. dist.  
 78.70 Intersected the 2<sup>d</sup>. Meridian 100 lks. S. of the cor.  
 a W. Oak 30 mi dist. Cor. to Sec. 19 & 30.  
 Land, timber &c. Same, as on the last mile

North Between Sec. 19 & 20, T9 N. R1 E. 2<sup>d</sup>. Mer.

- 40.00 At the q. Sec. post, from which  
 a Beech 24 mi. dist. bear S 14 W 20 lks. dist. of  
 a clo 6 " " " S 58 W 26 " "  
 48.00 a Beech 30 mi. dist. in the line  
 80.00 At a post Cor. to Sec. 17, 18, 19 & 20, from which  
 a Beech 20 mi. dist. bear N 10 E 16 lks. dist. of  
 a clo 18 " " " S 20 E 17 " "  
 Land timber &c. Same as on the last mile

## East On Rand. betw. Sec. 17 &amp; 20, T9 N. R1 E.

- 40.00 At temp. q. Sec. post  
 80.22 Intersected the N & S. line 30 lks. N. of Corner  
 Land, timber &c. Same as on the last mile

## West On true line between Sec. 17 &amp; 20, T9 N. R1 E.

- 40.11 At the q. Sec. post, from which  
 a Hickory 9 mi. dist. bear N 50 W 24 lks. dist. of  
 a Beech 6 " " " S 76 E 18 " "  
 80.22 to Sec. Corner.

West Between Sec. 18 & 19, T9 N. R1 E. 2<sup>d</sup>. Mer.

- 40.00 At the q. Sec. post, from which  
 a Beech 8 mi. dist. bear N 84 E 13 lks. dist. of  
 a clo 20 " " " S 50 E 10 " "  
 78.66 Intersected the 2<sup>d</sup>. Meridian 134 lks. S. of Corner  
 At a post Cor. to Sec. 18 & 19, from which  
 a Beech 18 mi. dist. bear N 20 W 24 lks. dist. of



T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Beech 4 mi. dia. bear N45 E 26 lbs. dist.  
Land hilly Soil Rich

North Between Secs. 17 & 18, T9 N. R1 E. 2<sup>d</sup>. Mer.

32.00 a Spring Cr. East

40.00 At the q. Sec. post from which

a Beech 12 in. dia. bear S1 E 24 lbs. dist. of

a Do 10 " " " S58 W 11 " "

80.00 At a post cor. to Secs. 7, 8, 17, & 18, from which

a Beech 20 in. dia. bear S11 W 23 lbs. dist. of

a Do 12 " " " N73 E 26 " "

Land timber &c. same as on the last mile

East Between Secs. 8 & 17, T9 N. R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which

a B. Oak 12 S41 W 30 lbs. dist. of

a Hickory 10 S37 E 10 " "

53.35 At a post on the boundary line, from which

a Sassafras 6 mi. dia. bear S65 E 6 lbs. dist. of

a Do 8 " " " S18 E 6 " "

Land hilly & brushy, timber Oak & Hickory

Thence E. from the boundary by Hedges

76.35 a Brook 6 lbs. wide Cr. S.W.

79.65 Intersected the N & S. line 177 lbs. N. of temp. post.

At post at the post of intersection Cor. to 8, 9, 16 & 17, from which

a Beech 8 mi. dia. bear S87 E 37 lbs. dist. of

a Maple 12 " " " S75 E 12 " "

Land East of bound. same as that West of it.

West Between Secs. 7 & 18, T9 N. R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which

a Poplar 8 mi. dia. bear S75 E 12 lbs. dist. of

a Do 6 " " " N39 E 14 " "

267

T9 N. R1 E. 2<sup>d</sup>. Mer. Indiana

78.81 Intersected the 2<sup>d</sup>. Meridian 186 lks. S. of Cor.  
 Set a post Cor. to Sec. 7 & 18, from which  
 a P. Oak 10 in. dia. bears N 45° W 6 lks. dist. &  
 a W. Walnut 10 " " " N 6 E 16 " "  
 Sand timber &c. Same as on the last mile

North Between Sec. 7 & 8, T9 N. R1 E. 2<sup>d</sup>. Mer.

31.00 a Brook 10 lks. wide C.P. W

40.00 At the q. Sec. post, from which  
 a W. Ash 6 in. dia. bears S 14 E 8 lks. dist. &  
 a Llo 4 " " " N 69° W 11 " "

40.71 Set a post on the boundary line, from which  
 a P. Oak 10 in. dia. bears South 13 lks. dist. &  
 a Llo 6 " " " N 54° W 13 " "  
 Sand timber &c. Same as above

53.30 a Sugar 11 in. dia. in the line

55.00 a Brook 6 lks. wide C.P. N 80° W

80.00 At temp. Section Corner.

East On Random between Sec. 5 & 8. T9 N. R1 E.

40.00 At temp. q. Sec. post

77.00 Intersected the N & S. line 91 lks. S. of Sec. Corner  
 Land hilly & poor, timber W & P. Oak, hickory &c.

West On true line between Sec. 5 & 8, T9 N. R1 E.

38.50 At q. Sec. post at ar. dist. from which  
 a Beech 12 in. dia. bears N 4 E 46 lks. dist. &  
 a Sugar 6 " " " S 7° W 22 " "

77.00 to Sec. Corner

East Between Sec. 6 & 7, T9 N. R1 E. from post. in the  
 2<sup>d</sup>. Meridian

22.30 Set a post in the boundary line, from which

T<sup>9</sup>N. R<sup>1</sup>E. 2<sup>d</sup>. Mer. Indiana

- a Beech 18 mi. dist. bear S 79° W 22 lbs. dist. &  
 a hlo 20 " " " N 9° W 10 " "  
 Land timber &c. same as on the last mile  
 commencing at the boundary thence East  
 17.70 Set temp. q. Sec. post  
 54.00 Intersected the N & S. line 150 lbs. N. of temp. post.  
 Set a post at the point of intersection Cor. to Sec.  
 5, 6, 7 & 8, from which.  
 a Beech 16 mi. dist. bear S 5° E 4 lbs. dist. &  
 a hlo 18 " " " N 55° W 15 " "  
 Land hilly & poor, W. Oak, Hickory. & Beech ndg. <sup>th</sup> Snow or. D. asp?

- West Between Sec. 6 & 7 on true line  
 40.00 Set the q. Sec. post, from which  
 a Elm 30 mi. dist. bear S 32° E 33 lbs. dist. &  
 a Beech 24 " " " N 18° W 54 " "  
 (76.30 to W. boundary)

- North Between Sec. 5 & 6, T<sup>9</sup>N. R<sup>1</sup>E. 2<sup>d</sup>. Mer.  
 21.00 a Beech 7 mi. dist.  
 40.00 Set the q. Sec. post, from which  
 a Beech 12 mi. dist. bear S 78° W 30 lbs. dist. &  
 a hlo 10 " " " S 73° W 40 " "  
 49.40 a Beech 28 " "  
 57.50 a Brook 8 lbs. wide Cr. S 40° W  
 78.25 Intersected the N. boundary 5.34 lbs. N. of q. Sec.  
 post on S. side of Sec. 32. Set N. R<sup>1</sup>E. Set a post  
 Cor. to Sec. 5 & 6, T<sup>9</sup>N. R<sup>1</sup>E. from which  
 a Beech 13 mi. dist. bear S 66° E 23 lbs. dist. &  
 a W. Oak 7 " " " N 46° W 63 " "  
 Land hilly & poor timber W. Oak & Hickory  
 Surveyed by. Arthur Murrie, L.S. in 1815  
 " by James Hager, L.S. " 1820

T<sup>9</sup> N. R<sup>1</sup> E. 2<sup>d</sup>. Mer. Indiana

Brought from page 244.

80.00 Let a post Cor. to Sec. 1 of 12, T<sup>9</sup> N. R<sup>1</sup> E. from  
 which a Beech 12 in. diam. bears S 75° W 26 lks. dist. &  
 a W. Oak 14 " " " N 83° E 15 " "  
 Land hilly & poor thickly timbered. W. B. & C. Oak & Hickory  
 under the W. Oak, Hickory & Sassafras.

North On E. boundary of Sec. 1. T<sup>9</sup> N. R<sup>1</sup> E.

18.00 a Sugar 11 in. diam.

40.00 Let the q. Sec. post, from which  
 a W. Oak 10 in. diam. bears S 21° W 62 lks. dist. &  
 a Hickory 12 " " " N 31° W 19 " "

54.16 a Beech 12 " "

67.00 Intersected the Town line 28.50 E. of post Cor.  
 to Town 10 Range 1 of 2 E. Let post, from which  
 a W. Oak 15 in. diam. bears S 30° W 26 lks. dist. &  
 a Hickory 7 " " " N 32° E 28 " "  
 Surveyed by James Hedger, D.S. in 1819

I certify that the foregoing transcript of field notes  
 of Township N. 9 N. Range N. 1 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
 has been compared with the original notes in this office  
 and found to be correct.

Surveyor General's office  
 Cincinnati Dec. 19. 1840

E. S. Laines  
 Sur. Genl.